

Signature:

Name:

Marks:

## Momentum Worksheet

### Q1.

A boy with a mass of 50 kg runs towards a skateboard with a mass of 2kg. The boy then jumps on the skateboard and moves on top of the skateboard with a velocity of  $5\text{ms}^{-1}$ .




Figure 1.

### Q2.

A policeman fires a pistol with a mass of 2 kg. The bullet reaches a velocity of  $150\text{ms}^{-1}$  after a shot is fired. If the recoil velocity of the pistol is  $5\text{ms}^{-1}$ , find the mass of the bullet in grams.

Signature:

Name:

Marks:

**Q3.**

The figure below shows a 4 kg rifle which recoils backwards with a velocity of  $2 \text{ ms}^{-1}$  when a bullet of 0.02 kg is fired.



Figure 2.

- Calculate the momentum of the rifle when the bullet is fired.
- What is the momentum of the bullet?
- Find the value of  $v$

**Q4.**

A bullet with mass of 20 g is fired from a 3 kg rifle with a velocity of  $250 \text{ ms}^{-1}$ . What is the total momentum of the bullet and the rifle after the explosion?

Signature:

Name:

Marks:

**Q5.**

A bullet with mass of 20 g is fired from a 3 kg rifle with a velocity of  $250 \text{ ms}^{-1}$ . What is the total momentum of the bullet and the rifle after the explosion?

**Q6.**

A 1000 kg travelling at  $15 \text{ ms}^{-1}$  collides with a 100 kg motorcycle which is at rest. After collision, both vehicles move together. What is their velocity after the collision?

**Q7.**

Car A of mass 600 kg moving at  $10 \text{ ms}^{-1}$  collides with car B of mass 1000 kg moving in the opposite direction. If both cars move together after the accident at  $4 \text{ ms}^{-1}$  in the direction of car B, find the initial velocity of car B.